INDEX TO AUTHORS

A

ALDRIDGE, WILLIAM G. See CARSTENSEN, ALDRIDGE, CHILD, SULLIVAN, and BROWN, 529

AMHERDT, MYLENE. See ORCI, LAMBERT, KANAZAWA, AMHERDT, ROUILLER, and RENOLD, 565

AMOS, HAROLD. See STEVENS and AMOS, 818

AMSTERDAM, ABRAHAM, SCHRAMM, MICHAEL, OHAD, ITZHAK, SALOMON, YORAM, and SELINGER, ZVI. Concomitant synthesis of membrane protein and exportable protein of the secretory granule in rat parotid gland, 187

ANDERSON, RICHARD G. W., and BRENNER, ROBERT M. The formation of basal bodies (centrioles) in the rhesus monkey oviduct, 10

ANDERSON, WINSTON A., and SPIELMAN, ANDREW. Permeability of the ovarian follicle of *Aedes aegypti* mosquitoes, 201

ATWOOD, H. L. Z and T tubules in stomach muscles of the spiny lobster, 264

B

BAINTON, DOROTHY FORD. See NICHOLS, BAINTON, and FARQUHAR, 498

BAND, R. NEAL. See CHLAPOWSKI and BAND, 625, 634

BARRNETT, RUSSELL J. See HIGGINS and BARRNETT, 102

BERENDES, HANS D. See HELMSING and BERENDES, 893

BERG, NORTON B., and YOUNG, RICHARD W. Sulfate metabolism in pancreatic acinar cells, 469

BHISEY, AVINASH N., and FREED, JEROME J. Cross-bridges on the microtubules of cooled interphase HeLa cells, 557

BISSELL, D. MONTGOMERY, and TILLES, JEREMIAH G. Morphology and function of cells of human embryonic liver in monolayer culture, 222

BLACK, PAUL H. See CULP, GRIMES, and BLACK, 682

—. See MCNUTT, CULP, and BLACK, 691

BOUCK, G. BENJAMIN. The structure, origin, isolation, and composition of the tubular mastigonemes of the *Ochromonas* flagellum, 362

BRACHO, H. See MARTINEZ-PALOMO, ERLIJ, and BRACHO, 277

BRENNER, ROBERT M. See ANDERSON and BRENNER, 10

BRIERLEY, GERALD P. See HUNTER and BRIERLEY, 250

BRINKLEY, B. R., and CARTWRIGHT, JOINER, JR. Ultrastructural analysis of mitotic spindle elongation in mammalian cells in vitro. Direct microtubule counts, 416

BROWN, H. H. See CARSTENSEN, ALDRIDGE, CHILD, SULLIVAN, and BROWN, 529

BURNSTOCK, G. See UEHARA, CAMPBELL, and BURNSTOCK, 484

C

CAILLA-DECKMYN, H. See REGGIO, CAILLA-DECKMYN, and MARCHIS-MOUREN, 333

CAMPBELL, G. LE M., WEINTRAUB, H., MAYALL, B. H., and HOLTZER, H. Primitive erythropoiesis in early chick embryogenesis. II. Correlation between hemoglobin synthesis and the mitotic history, 669

—. See WEINTRAUB, CAMPBELL, and HOLTZER, 652

CAMPBELL, G. R. See UEHARA, CAMPBELL, and BURNSTOCK, 484

CAMPICHE, M. A. See DE GRANDI, KRAEHENBUHL, and CAMPICHE, 446

—. See KRAEHENBUHL, DE GRANDI, and CAMPICHE, 432

CARSTENSEN, E. L., ALDRIDGE, WILLIAM G., CHILD, S. Z., SULLIVAN, P., and BROWN, H. H. Stability of cells fixed with glutaraldehyde and acrolein, 529

CARTWRIGHT, JOINER, JR. See BRINKLEY and CARTWRIGHT, 416

CHILD, S. Z. See CARSTENSEN, ALDRIDGE, CHILD, SULLIVAN, and BROWN, 529

CHLAPOWSKI, FRANCIS J., and BAND, R. NEAL Assembly of lipids into membranes in *Acanthamoeba palestinensis*. I. Observations on the specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for membrane phospholipids, 625

—, and —. II. The origin and fate of glycerol-^{3}H-labeled phospholipids of cellular membranes, 634

COLVIN, J. ROSS. See LEPPARD and COLVIN, 237

—. See LEPPARD, COLVIN, ROSE, and MARTIN, 63

COULOMBRE, ALFRED J. See TRELSTAD and COULOMBRE, 840

CULP, LLOYD A. See MCNUTT, CULP, and BLACK, 691

—, GRIMES, WILLIAM J., and BLACK, PAUL H. Contact-inhibited revertant cell lines isolated from SV40-transformed cells. I. Biologic, virologic, and chemical properties, 682

D

DE DUVE, CHRISTIAN. Tissue fractionation past and present, 20 D

DE GRANDI, P. B. See KRAEHENBUHL, DE GRANDI, and CAMPICHE, 432

De Grandi, P. B., Kraehenbuhl, J. P., and Campiche, M. A. Ultrastructural localization of calcitonin in the parafollicular cells of pig thyroid gland with cytochrome *c*–labeled antibody fragments, 446
de Harven, Etienne. See La Pushin and de Harven, 583

E

Edwards, Mercedes R., and Gantt, Elisabeth. Phycobilisomes of the thermophilic blue-green alga *Synechococcus lividus*, 896
Erlij, D. See Martinez-Palomo, Erlij, and Bracho, 277
Estensen, Richard. See Wagner, Rosenberg, and Estensen, 804

F

Farquhar, Marilyn G. See Nichols, Bainton, and Farquhar, 498
Forssmann, W. G. See Niemeyer and Forssmann, 288
Freed, Jerome J. See Bhisey and Freed, 557
Friedberg, I., Goldberg, I., and Ohad, I. A prolamellar body-like structure in *Chlamydomonas reinhardi*, 268
Fulton, Chandler, Kane, R. E., and Stephens, R. E. Serological similarity of flagellar and mitotic microtubules, 762

G

Gantt, Elisabeth. See Edwards and Gantt, 896
Gershon, Michael D. See Rubin, Gershon, and Ross, 399
Gillespie, Elizabeth. Colchicine binding in tissue slices. Decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, 544
Godman, Gabriel C. See Sawicki and Godman, 746
Goldberg, I. See Friedberg, Goldberg, and Ohad, 268
Goodenough, Daniel A., and Revel, Jean-Paul. The permeability of isolated and *in situ* mouse hepatic gap junctions studied with enzymatic tracers, 81
Goodenough, Ursula W. The effects of inhibitors of RNA and protein synthesis on chloroplast structure and function in wild-type *Chlamydomonas reinhardi*, 35
—, and Levine, R. P. The effects of inhibitors of RNA and protein synthesis on the recovery of chloroplast ribosomes, membrane organization, and photosynthetic electron transport in the *ac-20* strain of *Chlamydomonas reinhardi*, 50
Greenberg, Jay R., and Perry, Robert P. Hybridization properties of DNA sequences directing the synthesis of messenger RNA and heterogeneous nuclear RNA, 774
Greenhouse, Gerald. See Raff, Greenhouse, Gross, and Gross, 516
Grimes, William J. See Culp, Grimes, and Black, 682
Gross, Jerome. See Medoff and Gross, 457
Gross, Kenneth W. See Raff, Greenhouse, Gross, and Gross, 516
Gross, Paul R. See Raff, Greenhouse, Gross, and Gross, 516

H

Hauw, Jean-Jacques. See Novikoff, Novikoff, Quintana, and Hauw, 859
Helmsing, Pieter J., and Berendes, Hans D. Induced accumulation of nonhistone proteins in polytene nuclei of *Drosophila hydei*, 893
Hermos, John A., Mathan, Minnie, and Trier, Jerry S. DNA synthesis and proliferation by villous epithelial cells in fetal rats, 255
Higgins, Joan A., and Barrnett, Russell J. Fine structural localization of acyltransferases. The monoglyceride and α-glycerophosphate pathways in intestinal absorptive cells, 102
Holtzer, H. See Campbell, Weintraub, Mayall, and Holtzer, 669
—. See Wfintraub, Campbell, and Holtzer, 652
Hopper, A. F. See Rose, Hopper, and Wannemacher, 887
Howell, Neil, Zuiches, Carol A., and Munkres, Kenneth D. Mitochondrial biogenesis in *Neurospora crassa*. I. An ultrastructural and biochemical investigation of the effects of anaerobiosis and chloramphenicol inhibition, 721
Hudspeth, A. J., and Revel, J. P. Coexistence of gap and septate junctions in an invertebrate epithelium, 92
Hunter, George R., and Brierley, Gerald P. On the "energized-twisted" configuration of isolated beef heart mitochondria, 250
Hyman, Robert. See Nicolson, Hyman, and Singer, 905

I

Incefy, Genevieve S., and Kappas, Attallah. Isolation and biochemical characterization of nuclei from chick embryo liver, 385

J

Jamieson, James D., and Palade, George E. Synthesis, intracellular transport, and discharge of secretory proteins in stimulated pancreatic exocrine cells, 135

K

Kanazawa, Yasunori. See Orci, Lambert, Kanazawa, Amherdt, Rouiller, and Renold, 565
Kane, R. E. See Fulton, Kane, and Stephens, 762
Kappas, Attallah, See Incefy and Kappas, 385
Kierszenbaum, A. L. See Tandler and Kierszenbaum, 830
Klebanoff, Seymour J. See Ross and Klebanoff, 159
Knight, E., Jr. See Nair and Knight, 787

KRAEHENBUHL, J. P., DE GRANDI, P. B., and CAMPICHE, M. A. Ultrastructural localization of intracellular antigen using enzyme-labeled antibody fragments, 432
—. See DE GRANDI, KRAEHENBUHL, and CAMPICHE, 446
KRISHNAN, N. See LOCKE and KRISHNAN, 550
—. See LOCKE, KRISHNAN, and MCMAHON, 540
KUHEL, LEROY, and SUMSION, EARL N. Studies on the site of synthesis of several soluble enzymes of the cell nucleus, 1

L

LAMBERT, ANDRE E. See ORCI, LAMBERT, KANAZAWA, AMHERDT, ROUILLER, and RENOLD, 565
LA PUSHIN, RAMAH W., and DE HARVEN, ETIENNE. A study of gluco-corticosteroid–induced pyknosis in the thymus and lymph node of the adrenalectomized rat, 583
LEAK, LEE V. Studies on the permeability of lymphatic capillaries, 300
LEPPARD, GARY G., and COLVIN, J. ROSS. Fine structure of the middle lamella of aggregates of plant cells in suspension culture, 237
—, —, ROSE, DYSON, and MARTIN, S. M. Lignofibrils on the external cell wall surface of cultured plant cells, 63
LEVINE, R. P. See GOODENOUGH and LEVINE, 50
LOCKE, M., and KRISHNAN, N. Hot alcoholic phosphotungstic acid and uranyl acetate as routine stains for thick and thin sections, 559
—, —, and MCMAHON, J. T. A routine method for obtaining high contrast without staining sections, 540

M

MARCHIS-MOUREN, G. See REGGIO, CAILLA-DECKMYN, and MARCHIS-MOUREN, 333
MARTIN, S. M. See LEPPARD, COLVIN, ROSE, and MARTIN, 63
MARTINEZ-PALOMO, A., ERLIJ, D., and BRACHO, H. Localization of permeability barriers in the frog skin epithelium, 277
MATHAN, MINNIE. See HERMOS, MATHAN, and TRIER, 255
MAYALL, B. H. See CAMPBELL, WEINTRAUB, MAYALL, and HOLTZER, 669
MCLAUGHLIN, DAVID J. Centrosomesr and micro tubules during meiosis in the mushoom *Boletus-rubinellus*, 737
MCMAHON, J. T. See LOCKE, KRISHNAN, and MCMAHON, 540
MCNUTT, N. SCOTT, CULP, LLOYD A., and BLACK, PAUL H. Contact-inhibited revertant cell lines isolated from SV40-transformed cells. II. Ultrastructural study, 691
MEDOFF, JUDITH, and GROSS, JEROME. In vitro aggregation of mixed embryonic kidney and nerve cells. Influence on macromolecular synthesis, 457
MOENS, PETER B., and RAPPORT, ELLEN. Spindles, spindle plaques, and meiosis in the yeast *Saccharomyces cerevisiae* (Hansen), 344
MUNKRES, KENNETH D. See HOWELL, ZUICHES, and MUNKRES, 721

N

NAIR, C. N., and KNIGHT, E., JR. Turnover of HeLa ribosomal RNA. The characterization of a class of RNA in HeLa cytoplasm derived from 28S RNA, 787
NAKAJIMA, YASUKO. Fine structure of the medial nucleus of the trapezoid body of the bat with special reference to two types of synaptic endings, 121
NICHOLS, BARBARA A., BAINTON, DOROTHY FORD, and FARQUHAR, MARILYN G. Differentiation of monocytes. Origin, nature, and fate of their azurophil granules, 498
NICOLSON, GARTH L. Structure of the photosynthetic apparatus in protein-embedded chloroplasts, 258
—, HYMAN, ROBERT, and SINGER, S. J. The two-dimensional topographic distribution of H-2 histocompatibility alloantigens on mouse red blood cell membranes, 905
NIEMEYER, G., and FORSSMANN, W. G. Comparison of glycerol treatment in frog skeletal muscle and mammalian heart. An electrophysiological and morphological study, 288
NOVIKOFF, ALEX B. See NOVIKOFF, NOVIKOFF, QUINTANA, and HAUW, 859
NOVIKOFF, PHYLLIS M., NOVIKOFF, ALEX B., QUINTANA, NELSON, and HAUW, JEAN-JACQUES. Golgi apparatus, GERL, and lysosomes of neurons in rat dorsal root ganglia, studied by thick section and thin section cytochemistry, 859
OHAD, ITZHAK. See AMSTERDAM, SCHRAMM, OHAD, SALOMON, and SELINGER, 187
—. See FRIEDBERG, GOLDBERG, and OHAD, 268
ORCI, LELIO, LAMBERT, ANDRE E., KANAZAWA, YASUNORI, AMHERDT, MYLENE, ROUILLER, CHARLES, and RENOLD, ALBERT E. Morphological and biochemical studies of B cells of fetal rat endocrine pancreas in organ culture. Evidence for (pro)insulin biosynthesis, 565

P

PAGER, JEANNE. Etude morphométrique du système tubulaire transverse du myocarde ventirculaire de rat, 233
PALADE, GEORGE E. Albert Claude and the beginnings of biological electron microscopy, 51 D
—. See JAMIESON and PALADE, 135
—. See SIMIONESCU and PALADE, 616
PALMITER, RICHARD D., and WRENN, JOAN T. Interaction of estrogen and progesterone in chick oviduct development. III. Tubular gland cell cytodifferentiation, 598
PASTERNAK, C. A., WARMSLEY, A. M. H., and THOMAS, D. B. Structural alterations in the surface membrane during the cell cycle, 562
PERRY, ROBERT P. See GREENBERG and PERRY, 774

Q

QUINTANA, NELSON. See NOVIKOFF, NOVIKOFF, QUINTANA, and HAUW, 859

R

RAFF, RUDOLF A., GREENHOUSE, GERALD, GROSS, KENNETH W., and GROSS, PAUL R. Synthesis and storage of microtubule proteins by sea urchin embryos, 516

RANNESTAD, JOHN, and WILLIAMS, NORMAN E. The synthesis of microtubule and other proteins of the oral apparatus in *Tetrahymena pyriformis*, 709

RAPPORT, ELLEN. See MOENS and RAPPORT, 344

REGGIO, H., CAILLA-DECKMYN, H., and MARCHIS-MOUREN, G. Effect of pancreozymin on rat pancreatic enzyme biosynthesis, 333

RENGER, HARMUT C., and WOLSTENHOLME, DAVID R. Kinetoplast and other satellite DNAs of kinetoplastic and dyskinetoplastic strains of *Trypanosoma*, 533

RENOLD, ALBERT E. See ORCI, LAMBERT, KANAZAWA, AMHERDT, ROUILLER, and RENOLD, 565

REVEL, JEAN-PAUL. See GOODENOUGH and REVEL, 81

—. See HUDSPETH and REVEL, 92

ROSE, DYSON. See LEPPARD, COLVIN, ROSE, and MARTIN, 63

ROSE, P. M., HOPPER, A. F., and WANNEMACHER, R. W., JR. Cell population changes in the intestinal mucosa of protein-depleted or starved rats. I. Changes in mitotic cycle time, 887

ROSENBERG, MURRAY. See WAGNER, ROSENBERG, and ESTENSEN, 804

ROSENBLUTH, JACK. Myosin-like tactoids in trypsin-treated blood platelets, 900

ROSS, LEONARD L. See RUBIN, GERSHON, and ROSS, 399

ROSS, RUSSELL. The smooth muscle cell. II. Growth of smooth muscle in culture and formation of elastic fibers, 172

—, and KLEBANOFF, SEYMOUR J. The smooth muscle cell. I. In vivo synthesis of connective tissue proteins, 159

ROUILLER, CHARLES. See ORCI, LAMBERT, KANAZAWA, AMHERDT, ROUILLER, and RENOLD, 565

RUBIN, WALTER, GERSHON, MICHAEL D., and ROSS, LEONARD L. Electron microscope radioautographic identification of serotonin-synthesizing cells in the mouse gastric mucosa, 399

S

SALOMON, YORAM. See AMSTERDAM, SCHRAMM, OHAD, SALOMON, and SELINGER, 187

SALPETER, E. E. See SALPETER and SALPETER, 324

SALPETER, M. M., and SALPETER, E. E. Resolution in electron microscope radioautography. II. Carbon^{14}, 324

SAWICKI, STANLEY G., and GODMAN, GABRIEL C. On the differential cytotoxicity of actinomycin D, 746

SCHRAMM, MICHAEL. See AMSTERDAM, SCHRAMM, OHAD, SALOMON, and SELINGER, 187

SELINGER, ZVI. See AMSTERDAM, SCHRAMM, OHAD, SALOMON, and SELINGER, 187

SHAHRABADI, M. S., and YAMAMOTO, T. A method for staining intracellular antigens in thin sections with ferritin-labeled antibody, 246

SHERIDAN, JUDSON D. Electrical coupling between fat cells in newt fat body and mouse brown fat, 795

SIMIONESCU, NICOLAE, and PALADE, GEORGE E. Dextrans and glycogens as particulate tracers for studying capillary permeability, 616

SINGER, S. J. See NICHOLSON, HYMAN, and SINGER, 905

SPIELMAN, ANDREW. See ANDERSON and SPIELMAN, 201

STEPHENS, R. E. See FULTON, KANE, and STEPHENS, 762

STEVENS, RONALD H., and AMOS, HAROLD. RNA metabolism in HeLa cells at reduced temperature. I. Modified processing of 45S RNA, 818

SULLIVAN, P. See CARSTENSEN, ALDRIDGE, CHILD, SULLIVAN, and BROWN, 529

SUMSION, EARL N. See KUEHL and SUMSION, 1

T

TANDLER, C. J., and KIERSZENBAUM, A. L. Inorganic cations in rat kidney. Localization with potassium pyroantimonate–perfusion fixation, 830

THOMAS, D. B. See PASTERNAK, WARMSLEY, and THOMAS, 562

TILLES, JEREMIAH G. See BISSELL and TILLES, 222

TRELSTAD, ROBERT L., and COULOMBRE, ALFRED J. Morphogenesis of the collagenous stroma in the chick cornea, 840

TRIER, JERRY S. See HERMOS, MATHAN, and TRIER, 255

U

UEHARA, Y., CAMPBELL, G. R., and BURNSTOCK, G. Cytoplasmic filaments in developing and adult vertebrate smooth muscle, 484

W

WAGNER, ROGER, ROSENBERG, MURRAY, and ESTENSEN, RICHARD. Endocytosis in Chang liver cells. Quantitation by sucrose-^{3}H uptake and inhibition by Cytochalasin B, 804

WANNEMACHER, R. W., JR. See ROSE, HOPPER, and WANNEMACHER, 887

WARMSLEY, A. M. H. See PASTERNAK, WARMSLEY, and THOMAS, 562

WEINTRAUB, HAROLD, CAMPBELL, GRAHAM LE M., and HOLTZER, HOWARD. Primitive erythropoiesis

in early chick embryogenesis. I. Cell cycle kinetics and the control of cell division, 652
WEINTRAUB, HAROLD, CAMPBELL, GRAHAM LE M., and HOLTZER, HOWARD. See CAMPBELL, WEINTRAUB, MAYALL, and HOLTZER, 669
WILLIAMS, NORMAN E. See RANNESTAD and WILLIAMS, 709
WOLSTENHOLME, DAVID R. See RENGER and WOLSTENHOLME, 533
WRENN, JOAN T. See PALMITER and WRENN, 598

Y

YAMAMOTO, T. See SHAHRABADI and YAMAMOTO, 246
YOUNG, RICHARD W. See BERG and YOUNG, 469

Z

ZUICHES, CAROL A. See HOWELL, ZUICHES, and MUNKRES, 721

INDEX TO SUBJECTS

A

Acrolein and glutaraldehyde, stability of cells fixed with, biochemical study, 529

Actinomycin D, differential cytotoxicity of in HeLa, L, WI38, and Vero cells, biochemical and cytological study, 746

Acyltransferases, α-glycerophosphate and monoglyceride, fine structural localization of in intestinal absorptive cells, biochemical and cytochemical EM study, 102

Adenosine-3′,5′-monophosphate, and calcium, effect on colchicine binding in tissue slices, biochemical study, 544

Alga *Chlamydomonas reinhardi ac-20* strain, effects of inhibitors of RNA and protein synthesis on recovery of chloroplast ribosomes, membrane organization, and photosynthetic electron transport in, biochemical and EM study, 50

— *Chlamydomonas reinhardi*, prolamellar body-like structure in, biochemical and EM study, 268

— *Chlamydomonas reinhardi* wild-type, effects of inhibitors of RNA and protein synthesis on chloroplast structure and function in, biochemical and EM study, 35

— *Synechococcus lividus*, thermophilic blue-green, phycobilisomes of, EM study, 896

Alloantigens, H-2 histocompatibility, two-dimensional topographic distribution of on mouse red blood cell membranes, immunological and EM study, 905

Anaerobiosis, and chloramphenicol inhibition, effects of on mitochondrial biogenesis in *Neurospora crassa*, biochemical and EM study, 721

Antibody fragments, enzyme-labeled, for ultrastructural localization of intracellular antigen, immunological and light and EM study, 432

— fragments labeled with cytochrome *c*, ultrastructural localization of calcitonin in parafollicular cells of pig thyroid with, immunochemical and light and EM study, 446

—, labeled with ferritin, method for staining intracellular antigens in thin sections with, immunological and EM study, 246

Antigen, intracellular, ultrastructural localization of using enzyme-labeled antibody fragments, immunological and light and EM study, 432

Antigens, intracellular, staining of in thin sections with ferritin-labeled antibody, immunological and EM study, 246

Aorta, of guinea pig, growth of smooth muscle in culture and formation of elastic fibers, biochemical and EM study, 172

— and uterus, of rat, in vivo synthesis of connective tissue proteins in smooth muscle cell of, radioautographic light and EM study, 159

B

Basal bodies (centrioles), formation of in rhesus monkey oviduct, EM study, 10

Bat *Miniopterus schreibersi fuliginosus* and *Vespertilio superans*, brain, fine structure of medial nucleus of trapezoid body of, synaptic endings in, light and EM study, 121

Beef, heart, "energized-twisted" configuration of mitochondria isolated from, EM study, 250

Biological electron microscopy, Albert Claude and the beginnings of, historical essay, 5 D

Blood, of rabbit, guinea pig, and human, azurophil granules of monocytes of, cytochemical EM study, 498

Brain, of bat, fine structure of medial nucleus of trapezoid body of, synaptic endings in, light and EM study, 121

C

Calcitonin, ultrastructural localization of in parafollicular cells of pig thyroid gland with cytochrome *c*–labeled antibody fragments, immunochemical and light and EM study, 446

Calcium, and adenosine-3′, 5′-monophosphate, effect on colchicine binding in tissue slices, biochemical study, 544

Capillaries, blood, of mouse and rat, dextrans and glycogens as particulate tracers for studying permeability of, EM study, 616

—, lymphatic, of guinea pig ear, permeability of, cinephotographic and EM study, 300

Cations, inorganic, in rat kidney, localization with potassium pyroantimonate–perfusion fixation, EM study, 830

Cell cycle kinetics and control of cell division, primitive erythropoiesis in early chick embryogenesis, biochemical and radioautographic study, 652

— nucleus, of rat liver, site of synthesis of several soluble enzymes of, biochemical study, 1

—, smooth muscle, of rat aorta and uterus, in vivo synthesis of connective tissue proteins in, radioautographic light and EM study, 159

—, tubular gland, of chick oviduct, interaction of estrogen and progesterone in cytodifferentiation of, biochemical and light and EM study, 598

Cells, acinar, of mouse pancreas, sulfate metabolism in, radioautographic EM study, 469

—, adenovirus-infected and *Micrococcus sodonensis*, method for staining intracellular antigens in thin sections with ferritin-labeled antibody, immunological and EM study, 246

—, B, of fetal rat endocrine pancreas in organ culture, evidence for (pro)insulin synthesis, biochemical and radioautographic EM study, 565

Cells, calf erythrocytes, fixed with glutaraldehyde and acrolein, stability of, biochemical study, 529
—, Chang liver, endocytosis in, quantitation by sucrose-^{3}H uptake and inhibition by Cytochalasin B, biochemical and radioautographic and cinematographic and EM study, 804
—, chick embryo kidney and nerve, influence of in vitro aggregation of on macromolecular synthesis, biochemical and radioautographic EM study, 457
—, Chinese hamster (strain Don-C) and rat kangaroo fibroblasts (PtK_1), ultrastructural analysis of mitotic spindle elongation in vitro, direct microtubule counts, light and EM study, 416
—, endocrine, in mouse gastric mucosa, synthesis of serotonin in, radioautographic light and EM study, 399
—, exocrine, of guinea pig pancreas, synthesis, intracellular transport, and discharge of secretory proteins in, biochemical and radioautographic light and EM study, 135
—, fat, in newt fat body and mouse brown fat, electrical coupling between, electrophysiological and light and EM study, 795
—, HeLa, cooled interphase, crossbridges on microtubules of, EM study, 557
—, HeLa, L, WI38, and Vero, differential cytotoxicity of actinomycin D in, biochemical and cytological study, 746
—, HeLa, RNA metabolism in at reduced temperature, modified processing of 45S RNA, biochemical study, 818
—, HeLa, turnover of ribosomal RNA, characterization of RNA in cytoplasm derived from 28S RNA, biochemical study, 787
—, of human embryonic liver, morphology and function of in monolayer culture, biochemical and light microscope study, 222
—, intestinal absorptive, monoglyceride and α-glycerophosphate pathways in, fine structural localization of acyltransferases, biochemical and cytochemical EM study, 102
—, mouse L-cells, hybridization properties of DNA sequences directing synthesis of messenger RNA and heterogeneous nuclear RNA, biochemical study, 774
—, P815Y, structural alterations in surface membrane during cell cycle of, biochemical and immunological study, 562
—, parafollicular, of pig thyroid, ultrastructural localization of with cytochrome *c*–labeled antibody fragments, immunochemical and light and EM study, 446
—, plant, in suspension culture, fine structure of middle lamella of aggregates of, cytochemical EM study, 237
—, plant, in suspension culture, lignofibrils on external cell-wall surface of, biochemical and cytochemical EM study, 63
—, smooth muscle, from chick embryo gizzard, and adult chick gizzard, guinea pig and zebra finch ureter, rat vas deferens, and guinea pig taenia coli, cytoplasmic filaments in, EM study, 484
Cells, 3T3, SV40-transformed, and F1A, biologic, virologic, and chemical properties of contact-inhibited revertant cell lines isolated from, biochemical and histological study, 682
—, 3T3, SV40-transformed, and F1A, contact-inhibited revertant cell lines isolated from, light and EM study, 691
—, villous epithelial, of fetal rat, DNA synthesis and proliferation by, radioautographic light and EM study, 255
Centrioles (basal bodies), formation of in rhesus monkey oviduct, EM study, 10
Centrosomes and microtubules during meiosis in mushroom *Boletus rubinellus*, light and EM study, 737
Chick, embryo, kidney and nerve cells, in vitro aggregation of, influence on macromolecular synthesis, biochemical and radioautographic EM study, 457
—, embryo, liver, isolation and characterization of nuclei from, biochemical and light and EM study, 385
—, embryo, morphogenesis of collagenous stroma in cornea of, radioautographic light and EM study, 840
—, embryo, primitive erythropoiesis in, cell cycle kinetics and control of cell division, biochemical and radioautographic study, 652
—, embryo, primitive erythropoiesis in, correlation betwen hemoglobin synthesis and mitotic history, cytophotometric and radioautographic study, 669
—, oviduct, interaction of estrogen and progesterone in development of, tubular gland cell cytodifferentiation, biochemical and light and EM study, 598
Chloramphenicol inhibition, and anaerobiosis, effects of on mitochondrial biogenesis in *Neurospora crassa*, biochemical and EM study, 721
Chloroplast, of *Chlamydomonas reinhardi ac-20*, effects of inhibitors of RNA and protein synthesis on recovery of ribosomes in, membrane organization and photosynthetic electron transport, biochemical and EM study, 50
—, of *Chlamydomonas reinhardi* wild-type, effects of inhibitors of RNA and protein synthesis on structure and function of, biochemical and EM study, 35
—, protein-embedded, from spinach, structure of photosynthetic apparatus in, EM study, 258
Choline-^{14}C and glycerol-^{3}H, specificity and stability of as labels for membrane phopholipids, in *Acanthamoeba palestinensis*, biochemical study, 625
Colchicine binding in tissue slices, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544
Collagen, of stroma in chick embryo cornea, morphogenesis of, radioautographic light and EM study, 840
Configuration, "energized-twisted," of isolated beef heart mitochondria, EM study, 250
Connective tissue proteins, in vivo synthesis of in smooth muscle cell of rat uterus and aorta, radioautographic light and EM study, 159

Contact inhibition in revertant cell lines isolated from SV40-transformed cells, biologic, virologic, and chemical properties, biochemical and histological study, 682
— inhibition in revertant cell lines isolated from SV40-transformed cells, light and EM study, 691
Cornea, of chick embryo, morphogenesis of collagenous stroma in, radioautographic light and EM study, 840
Crossbridges on microtubules of cooled interphase HeLa cells, EM study, 557
Cytochalasin B, inhibition by and quantitation by sucrose-^{3}H uptake of endocytosis in Chang liver cells, biochemical and radioautographic and cinematographic and EM study, 804
Cytochrome *c*, ultrastructural localization of calcitonin in parafollicular cells of pig thyroid with antibody fragments labeled with, immunochemical and light and EM study, 446
Cytoplasm, of HeLa cells, characterization of ribosomal RNA derived from 28S RNA, biochemical study, 787
Cytoplasmic filaments, in developing and adult vertebrate smooth muscle, EM study, 484

D

Dextrans and glycogens as particulate tracers for studying capillary permeability, in mouse and rat, EM study, 616
DNA from kinetoplast of kinetoplastic and dyskinetoplastic strains of *Trypanosoma*, biochemical and light and EM study, 533
— sequences directing synthesis of messenger RNA and heterogeneous nuclear RNA, hybridization properties of, in mouse L-cells, biochemical study, 774
— synthesis and proliferation by villous epithelial cells in fetal rats, radioautographic light and EM study, 255

E

Ear, of guinea pig, permeability of lymphatic capillaries of, cinephotographic and EM study, 300
Echinoids, *Pseudoboletia indiana*, *Tripneustes gratilla*, *Colobocentrotus atratus*, *Strongylocentrotus droebachiensis*, *Arbacia punctulata*, and *Echinarachnius parma*, serological similarity of flagellar and mitotic microtubules of, biochemical and immunochemical and EM study, 762
Electron microscope radioautography, resolution using carbon^{14}, EM study, 324
— microscopy, in biology, Albert Claude and the beginnings of, historical essay, 5 D
— microscopy technique, hot alcoholic phosphotungstic acid and uranyl acetate as routine stains for thick and thin sections, EM study, 550
— microscopy technique, routine method for obtaining high contrast without staining sections, EM study, 540
— transport, photosynthetic, membrane organization, and chloroplast ribosomes, in *ac-20 Chlamydomonas reinhardi*, effects of inhibitors of RNA and protein synthesis on, biochemical and EM study, 50
Embryo, chick, kidney and nerve cells, in vitro aggregation of, influence on macromolecular synthesis, biochemical and radioautographic EM study, 457
—, chick, liver, isolation and characterization of nuclei from, biochemical and light and EM study, 385
—, chick, morphogenesis of collagenous stroma in cornea of, radioautographic light and EM study, 840
—, chick, primitive erythropoiesis in, cell cycle kinetics and control of cell division, biochemical and radioautographic study, 652
—, chick, primitive erythropoiesis in, correlation between hemoglobin synthesis and mitotic history, cytophotometric and radioautographic study, 669
—, human, liver, morphology and function of cells of in monolayer culture, biochemical and light microscope study, 222
—, rat, B cells of endocrine pancreas in organ culture, evidence for (pro)insulin biosynthesis, biochemical and radioautographic EM study, 565
—, rat, DNA synthesis and proliferation by villous epithelial cells in, radioautographic light and EM study, 255
—, sea urchin *Arbacia punctulata* and *Lytechinus pictus*, synthesis and storage of microtubule proteins by, biochemical study, 516
Endocytosis in Chang liver cells, quantitation by sucrose-^{3}H uptake and inhibition by Cytochalasin B, biochemical and radioautographic and cinematographic and EM study, 804
Enzymatic tracers, permeability of isolated and *in situ* mouse hepatic gap junctions studied with, cytochemical EM study, 81
Enzyme biosynthesis in rat pancreas, effect of pancreozymin on, biochemical and EM study, 333
Enzyme-labeled antibody fragments for ultrastructural localization of intracellular antigen, immunological and light and EM study, 432
Enzymes, soluble, aldolase, glyceraldehyde-3-phosphate dehydrogenase and lactic dehydrogenase, of cell nucleus, site of synthesis of, in rat liver, biochemical study, 1
Epithelium, of frog skin, localization of permeability barriers in, physiological and light and EM study, 277
—, of invertebrate *Daphnia pulex*, coexistence of gap and septate junctions in, EM study, 92
Erythropoiesis, primitive, in early chick embryogenesis, cell cycle kinetics and control of cell division, biochemical and radioautographic study, 652
—, primitive, in early chick embryogenesis, correlation between hemoglobin synthesis and mitotic history, cytophotometric and radioautographic study, 669
Estrogen and progesterone, interaction of in chick

oviduct development, tubular gland cell cytodifferentiation, biochemical and light and EM study, 598

F

Fat body, of newt, and brown fat of mouse, electrical coupling between fat cells in, electrophysiological and light and EM study, 795
Ferritin-labeled antibody, method for staining intracellular antigens in thin sections with, immunological and EM study, 246
Fibers, elastic, formation of, and growth of smooth muscle in culture of guinea pig aorta, biochemical and EM study, 172
Filaments, cytoplasmic, in developing and adult vertebrate smooth muscle, EM study, 484
Fixation, potassium pyroantimonate–perfusion, localization of inorganic cations in rat kidney with, EM study, 830
Flagella, and mitotic apparatus, of sea urchins, sand dollar, and starfish, serological similarity of microtubules of, biochemical and immunochemical and EM study, 762
Flagellum, of *Ochromonas danica*, structure, origin, isolation, and composition of tubular mastigoneme of, biochemical and light and EM study, 362
Follicle, ovarian, of *Aedes aegypti* mosquito, permeability of, cytochemical EM study, 201
Fractionation, tissue, liver, past and present, historical perspective of, essay tribute to Albert Claude's contribution to modern biology, 20 D
Frog *Rana pipiens* and *R. palmipes*, skin, localization of permeability barriers in epithelium of, physiological and light and EM study, 277
— skeletal and mammalian heart muscle, comparison of glycerol treatment in, electrophysiological and EM study, 288
Fungus, mushroom *Boletus rubinellus*, centrosomes and microtubules during meiosis in, light and EM study, 737
— *Neurospora crassa*, mitochondrial biogenesis in, effects of anaerobiosis and chloramphenicol inhibition, biochemical and EM study, 721

G

Ganglia, dorsal root, of rat, Golgi apparatus, GERL, and lysosomes, in neurons of, cytochemical EM study, 859
GERL, Golgi apparatus, and lysosomes, of neurons in rat dorsal root ganglia, cytochemical EM study, 859
Glucocorticosteroid-induced pyknosis, in thymus and lymph node of adrenalectomized rat, radioautographic and light and EM study, 583
Glutaraldehyde and acrolein, stability of cells fixed with, biochemical study, 529
Glycerol treatment in frog skeletal and mammalian heart muscle, electrophysiological and EM study, 288
Glycerol-^{3}H, origin and fate of phospholipids labeled with, in membranes of *Acanthamoeba palestinensis*, biochemical and light and EM study, 634
Glycerol-^{3}H, and choline-^{14}C, specificity and stability of as labels for membrane phospholipids, in *Acanthamoeba palestinensis*, biochemical study, 625
Glycogens and dextrans as particulate tracers for studying capillary permeability, in mouse and rat, EM study, 616
Golgi apparatus, GERL, and lysosomes, of neurons in rat dorsal root ganglia, cytochemical EM study, 859
Granule, secretory, in rat parotid gland, concomitant synthesis of membrane protein and exportable protein of, biochemical and EM study, 187
Granules, azurophil, in monocytes of rabbit, guinea pig, and human blood, cytochemical EM study, 498
Guinea pig, aorta, growth of smooth muscle in culture and formation of elastic fibers, biochemical and EM study, 172
—, ear, permeability of lymphatic capillaries of, cinephotographic and EM study, 300
—, pancreas, synthesis, intracellular transport, and discharge of secretory proteins in stimulated exocrine cells of, biochemical and radioautographic light and EM study, 135
—, rabbit, and human blood, azurophil granules of monocytes of, cytochemical EM study, 498

H

Heart, of beef, "energized-twisted" configuration of mitochondria isolated from, EM study 250
—, of rat, transverse tubular system in ventricular myocardium of, morphometric study, 233
HeLa cells, cooled interphase, crossbridges on microtubules of, EM study, 557
Hemoglobin synthesis and mitotic history, correlation between, primitive erythropoiesis in early chick embryogenisis, cytophotometric and radioautographic study, 669
Historical account of the beginnings of biological electron microscopy, essay tribute to Albert Claude's contribution to modern biology 5 D
Historical perspective of tissue fractionation, of liver, essay tribute to Albert Claude's contribution to modern biology, 20 D
Human, blood platelets, trypsin-treated, tactoidal inclusions in, EM study, 900
—, embryo, liver, morphology and function of cells of in monolayer culture, biochemical and light microscope study, 222
—, rabbit, and guinea pig blood, azurophil granules of monocytes of, cytochemical EM study, 498

I

Inclusions, tactoidal, in trypsin-treated human blood platelets, EM study, 900
Inhibitors of RNA and protein synthesis, effects of on chloroplast structure and function in wild-type *Chlamydomonas reinhardi*, biochemical and EM study, 35
— of RNA and protein synthesis, effects of on recovery of chloroplast ribosomes, membrane organization, and photosynthetic electron transport in

ac-20 Chlamydomonas reinhardi, biochemical and EM study, 50
Insect *Calpodes*, fat body, nerve and connective tissue, hot alcoholic phosphotungstic acid and uranyl acetate as routine stains for thick and thin sections, EM study, 550
— *Calpodes*, fat body and nerve tissue, routine method for obtaining high contrast without staining sections, EM study, 540
— *Daphnia pulex*, epithelium, coexistence of gap and septate junctions in, EM study, 92
— *Drosophila hydei*, salivary gland, induced accumulation of nonhistone proteins in polytene nuclei of, biochemical study, 893
—, mosquito *Aedes aegypti*, permeability of ovarian follicle of, cytochemical EM study, 201
Insulin (pro), biosynthesis of in fetal rat endocrine pancreas in organ culture, biochemical and radioautographic EM study, 565
Intestinal mucosa of protein-depleted or starved rats, changes in mitotic cycle time in, radioautographic study, 887
Intestine, of pig, ultrastructural localization of intracellular antigen using enzyme-labeled antibody fragments, immunological and light and EM study, 432
—, of rat, fine structural localization of acyltransferases, monoglyceride and α-glycerophosphate pathways in absorptive cells of, biochemical and cytochemical EM study, 102
—, small, in fetal rat, DNA synthesis and proliferation by villous epithelial cells of, radioautographic light and EM study, 255

J

Junctions, gap, isolated and *in situ* mouse hepatic, permeability of, studied with enzymatic tracers, cytochemical EM study, 81
—, gap and septate, coexistence of in invertebrate epithelium, EM study, 92

K

Kidney, of rat, inorganic cations in, localization with potassium pyroantimonate–perfusion fixation, EM study, 830
Kinetoplast and other satellite DNAs of kinetoplastic and dyskinetoplastic strains of *Trypanosoma*, biochemical and light and EM study, 533

L

Lamella, middle, of aggregates of plant cells in suspension culture, cytochemical EM study, 237
Lignofibrils, on external cell-wall surface of cultured plant cells, biochemical and cytochemical EM study, 63
Lipids, assembly of into membranes in *Acanthamoeba palestinensis*, origin and fate of glycerol-^{3}H–labeled phospholipids of cellular membranes, biochemical and light and EM study, 634
—, assembly of into membranes in *Acanthamoeba palestinensis*, specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for membranes phospholipids, biochemical study, 634
Liver, of chick embryo, isolation and characterization of nuclei of, biochemical and light and EM study, 385
—, of human embryo, morphology and function of cells of in monolayer culture, biochemical and light microscope study, 222
—, of mouse, permeability of isolated and *in situ* gap junctions studied with enzymatic tracers, cytochemical EM study, 81
—, of rat, site of synthesis of several soluble enzymes of cell nucleus of, biochemical study, 1
—, spleen and pancreas, of rat, colchicine binding in, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544
—, tissue fractionation, past and present, historical perspective of, essay tribute to Albert Claude's contribution to modern biology, 20 D
Lobster *Panulirus argus*, stomach, Z and T tubules in pyloric muscles of, EM study, 264
Lymph node and thymus, of adrenalectomized rat, glucocorticosteroid-induced pyknosis in, radioautographic and light and EM study, 583
Lymphatic capillaries, of guinea pig ear, permeability of, cinephotographic and EM study, 300
Lysosomes, Golgi apparatus, and GERL, of neurons in rat dorsal root ganglia, cytochemical EM study, 859

M

Macromolecular synthesis (DNA, RNA, protein, acid and alkaline phosphatase, and lactic dehydrogenase), influence of in vitro aggregation of mixed embryonic kidney and nerve cells on, biochemical and radioautographic EM study, 457
Mammalian heart and frog skeletal muscle, comparison of glycerol treatment in, electrophysiological and EM study, 288
Mastigonome, tubular, of *Ochromonas* flagellum, structure, origin, isolation, and composition of, biochemical and light and EM study, 362
Medial nucleus of trapezoid body, of bat brain, synaptic endings in, light and EM study, 121
Meiosis, in mushroom *Boletus rubinellus*, centrosomes and microtubules during, light and EM study, 737
—, and spindles and spindle plaques, in yeast *Saccharomyces cerevisiae* (Hansen), EM study, 344
Membrane organization, chloroplast ribosomes, and photosynthetic electron transport, in *ac-20 Chlamydomonas reinhardi*, effects of inhibitors of RNA and protein synthesis on, biochemical and EM study, 50
— protein, and exportable protein of secretory granule, concomitant synthesis of, in rat parotid gland, biochemical and EM study, 187
—, surface, of P815Y cells, structural alterations in during cell cycle, biochemical and immunological study, 562
Membranes, of *Acanthamoeba palestinensis*, assembly of lipids into, origin and fate of glycerol-^{3}H–labeled phospholipids of cellular membranes, biochemical and light and EM study, 634

Membranes, of *Acanthamoeba palestinensis*, assembly of lipids into, specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for membrane phospholipids, biochemical study, 625
—, of mouse red blood cell, two-dimensional topographic distribution of H-2 histocompatibility alloantigens on, immunological and EM study, 905
Microtubule counts of mitotic spindle elongation in mammalian cells in vitro, light and EM study, 416
— proteins, synthesis and storage of, by sea urchin embryos, biochemical study, 516
— and other proteins, synthesis of in oral apparatus of *Tetrahymena pyriformis*, biochemical and EM study, 709
Microtubules and centrosomes during meiosis in mushroom *Boletus rubinellus*, light and EM study, 737
— of cooled interphase HeLa cells, crossbridges on, EM study, 557
—, flagellar and mitotic, serological similarity of, from sea urchins, sand dollar, and starfish, biochemical and immunochemical and EM study, 762
Mitochondria, from beef heart, "energized-twisted" configuration of, EM study, 250
—, in *Neurospora crassa*, effects of anaerobiosis and chloramphenicol inhibition on biogenesis of, biochemical and EM study, 721
Mitosis and hemoglobin synthesis, correlation between, primitive erythropoiesis in eary chick embryogenesis, cytophotometric and radioautographic study, 669
— in mammalian cells in vitro, direct microtubule counts of spindle elongation, light and EM study, 416
Mitotic apparatus and flagella, of sea urchins, sand dollar, and starfish, serological similarity of microtubules of, biochemical and immunochemical and EM study, 762
— cycle time, changes of in intestinal mucosa of protein-depleted or starved rats, radioautographic study, 887
Monkey *Macaca mulatta*, oviduct, formation of basal bodies (centrioles) in, EM study, 10
Monocytes, of rabbit, guinea pig, and human blood, azurophil granules of, cytochemical EM study, 498
Mouse, brown fat, and newt, fat body, electrical coupling between fat cells in, electrophysiological and light and EM study, 795
—, liver, permeability of isolated and *in situ* gap junctions studied with enzymatic tracers, cytochemical EM study, 81
—, pancreas, sulfate metabolism in acinar cells of, radioautographic EM study, 469
—, red blood cell, two-dimensional topographic distribution of H-2 histocompatibility alloantigens on membranes of, immunological and EM study, 905
—, stomach, identification of serotonin-synthesizing cells in gastric mucosa of, radioautographic light and EM study, 399
Mouse, and rat, blood capillaries, dextrans and glycogens as particulate tracers for studying permeability of, EM study, 616
Muscle, frog skeletal and mammalian heart, comparison of glycerol treatment in, electrophysiological and EM study, 288
—, smooth, from chick embryo gizzard, and adult chick gizzard, guinea pig and zebra finch ureter, rat vas deferens, and guinea pig taenia coli, cytoplasmic filaments in, EM study, 484
—, smooth, growth of in culture of guinea pig aorta, formation of elastic fibers, biochemical and EM study, 172
Muscles, pyloric, of spiny lobster stomach, Z and T tubules in, EM study, 264
Myocardium, ventricular, of rat, transverse tubular system in, morphometric study, 233

N

Neurons, in rat dorsal root ganglia, Golgi apparatus, GERL, and lysomes of, cytochemical EM study, 859
Newt *Triturus pyrrhogaster*, fat body, and mouse, brown fat, electrical coupling between fat cells in, electrophysiological and light and EM study, 795
Nuclei, of chick embryo liver, isolation and characterization of, biochemical and light and EM study, 385
—, polytene, in salivary glands of *Drosophila hydei*, induced accumulation of nonhistone proteins in, biochemical study, 893
Nucleus, of rat liver cell, site of synthesis of several soluble enzymes of, biochemical study, 1

O

Oral apparatus, in *Tetrahymena pyriformis*, synthesis of microtubule and other proteins of, biochemical and EM study, 709
Organ culture of fetal rat endocrine pancreas, (pro)insulin biosynthesis in B cells of, biochemical and radioautographic EM study, 565
Ovary, of *Aedes aegypti* mosquito, permeability of follicle of, cytochemical EM study, 201
Oviduct, of chick, interaction of estrogen and progesterone in development of, tubular gland cell cytodifferentiation, biochemical and light and EM study, 598
Oviduct, of rhesus monkey, formation of basal bodies (centrioles) in, EM study, 10

P

Pancreas, endocrine, of fetal rat, B cells of in organ culture, evidence for (pro)insulin biosynthesis, biochemical and radioautographic EM study, 565
—, of guinea pig, synthesis, intracellular transport, and discharge of secretory proteins in stimulated exocrine cells of, biochemical and radioautographic light and EM study, 135
—, liver and spleen, of rat, colchicine binding in, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544

Pancreas, of mouse, sulfate metabolism in acinar cells of, radioautographic EM study, 469
—, of rat, effect of pancreozymin on enzyme biosynthesis by, biochemical and EM study, 333
Pancreozymin, effect on rat pancreatic enzyme biosynthesis, biochemical and EM study, 333
Parotid gland, of rat, concomitant synthesis of membrane protein and exportable protein of secretory granule in, biochemical and EM study, 187
Permeability barriers, localization of in frog skin epithelium, physiological and light and EM study, 277
—, of rat and mouse blood capillaries, dextrans and glycogens as particulate tracers of, EM study, 616
Phospholipids, of membranes in *Acanthamoeba palestinensis*, origin and fate of labeled with glycerol-^{3}H, biochemical and light and EM study, 634
—, of membranes in *Acanthamoeba palestinensis*, specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for, biochemical study, 625
Phosphotungstic acid, hot alcoholic, and uranyl acetate, routine stains for thick and thin sections, EM study, 550
Photosynthetic apparatus in protein-embedded spinach chloroplasts, EM study, 258
Phycobilisomes, of thermophilic blue-green algae *Synechococcus lividus*, EM study, 896
Pig, intestine, ultrastructural localization of intracellular antigen using enzyme-labeled antibody fragments, immunological and light and EM study, 432
—, thyroid, ultrastructural localization of calcitonin in parafollicular cells of, with cytochrome *c*–labeled antibody fragments, immunochemical and light and EM study, 446
Plant, *Phaseolus vulgaris*, *Ipomoea*, and *Daucus carota*, fine structure of middle lamella of aggregates of cells of in suspension culture, cytochemical EM study, 237
—, *Phaseolus vulgaris*, *Ipomoea*, and *Daucus carota*, lignofibrils on external cell-wall surface of cultured cells of, biochemical and cytochemical EM study, 63
—, spinach, structure of photosynthetic apparatus in protein-embedded chloroplasts, of, EM study, 258
Plaques, spindle, spindles, and meiosis in yeast *Saccharomyces cerevisiae* (Hansen), EM study, 344
Platelets, of human blood, trypsin-treated, tactoidal inclusions in, EM study, 900
Potassium pyroantimonate–perfusion fixation, localization of inorganic cations in rat kidney with, EM study, 830
Progesterone and estrogen, interaction of in chick oviduct development, tubular gland cell cytodifferentiation, biochemical and light and EM study, 598
Prolamellar body-like structure in *Chlamydomonas reinhardi*, biochemical and EM study, 268
Protein-depleted or starved rats, changes in mitotic cycle time in intestinal mucosa of, radioautographic study, 887
Protein-embedded chloroplasts, from spinach, structure of photosynthetic apparatus in, EM study, 258
Protein and RNA synthesis, effects of inhibitors of on chloroplast structure and function in wild-type *Chlamydomonas reinhardi*, biochemical and EM study, 35
— and RNA synthesis, effects of inhibitors of on recovery of chloroplast ribosomes, membrane organization and photosynthetic electron transport in *ac-20 Chlamydomonas reinhardi*, biochemical and EM study, 50
—, of secretory granule membrane, synthesis of, in rat parotid gland, biochemical and EM study, 187
Proteins, of connective tissue, in vivo synthesis of in smooth muscle cell of rat uterus and aorta, radioautographic light and EM study, 159
—, microtubular, synthesis and storage of by sea urchin embryos, biochemical study, 516
—, microtubular and other, synthesis of, in oral apparatus of *Tetrahymena pyriformis*, biochemical and EM study, 709
—, nonhistone, induced accumulation of, in polytene nuclei of salivary glands of *Drosophila hydei*, biochemical study, 893
—, secretory, synthesis, intracellular transport, and discharge of, in stimulated pancreatic exocrine cells, of guinea pig, biochemical and radioautographic light and EM study, 135
Protozoa *Trypanosoma equiperdum*, *T. equinum*, and *T. congolense*, kinetoplastic and dyskinetoplastic strains, kinetoplast and other satellite DNAs of, biochemical and light and EM study, 533
Protozoan *Acanthamoeba palestinensis*, assembly of lipids into membranes of, origin and fate of glycerol-^{3}H–labeled phospholipids of cellular membranes, biochemical and light and EM study, 634
— *Acanthamoeba palestinensis*, assembly of lipids into membranes of, specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for membrane phospholipids, biochemical study, 625
— *Ochromonas danica*, structure, origin, isolation, and composition of tubular mastigoneme of flagellum of, biochemical and light and EM study, 362
— *Tetrahymena pyriformis*, synthesis of microtubule and other proteins of oral apparatus in, biochemical and EM study, 709
Pyknosis, induced by glucocorticosteroid, in thymus and lymph node of adrenalectomized rat, radioautographic and light and EM study, 583

R

Rabbit, guinea pig, and human blood, azurophil granules of monocytes of, cytochemical EM study, 498
Radioactive label, adenosine triphosphate-^{14}C and uridine triphosphate-^{14}C, isolation and characterization of nuclei from chick embryo liver, biochemical and light and EM study, 385
— label, amino acids-^{14}C, concomitant synthesis of membrane protein and exportable protein of secretory granule in rat parotid gland, biochemical and EM study, 187
— label, amino acids-^{3}H, induced accumulation of nonhistone proteins in polytene nuclei of *Drosophila hydei*, biochemical study, 893

Radioactive label, amino acids-^{3}H, leucine-^{3}H, and colchicine-^{3}H, synthesis and storage of microtubule proteins by sea urchin embryos, biochemical study, 516
— label, choline-^{14}C and glycerol-^{3}H, assembly of lipids into membranes in *Acanthamoeba palestinensis*, specificity and stability of choline-^{14}C and glycerol-^{3}H as labels for membrane phospholipids, biochemical study, 625
— label, colchicine-^{14}C, colchicine binding in tissue slices, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544
— label, glycerol-^{3}H, assembly of lipids into membranes in *Acanthamoeba palestinensis*, origin and fate of glycerol-^{3}H–labeled phospholipids of cellular membranes, biochemical and light and EM study, 634
— label, α-glycerophosphate–^{14}C and palmityl-Coenzyme A-^{14}C, fine structural localization of acyltransferases, monoglyceride and α-glycerophosphate pathways in intestinal absorptive cells, biochemical and cytochemical EM study, 102
— label, 5-hydroxytryptophan-^{3}H and serotonin-^{3}H, identification of serotonin-synthesizing cells in mouse gastric mucosa, radioautographic light and EM study, 399
— label, ^{140}-lanthanum, localization of permeability barriers in frog skin epithelium, physiological and light and EM study, 277
— label, leucine-^{14}C and leucine-^{3}H, B cells of fetal rat endocrine pancreas in organ culture, evidence for (pro)insulin biosynthesis, biochemical and radioautographic EM study, 565
— label, leucine-^{14}C, thymidine-^{3}H, and uridine-^{3}H, in vitro aggregation of mixed embryonic kidney and nerve cells; influence on macromolecular synthesis, biochemical and radioautographic EM study, 457
— label, leucine-^{3}H, site of synthesis of several soluble enzymes of cell nucleus, in rat liver, biochemical study, 1
— label, leucine-^{3}H, synthesis, intracellular transport, and discharge of secretory proteins in stimulated pancreatic exocrine cells, of guinea pig, biochemical and radioautographic light and EM study, 135
— label, leucine-^{3}H, thymidine-^{3}H, and uridine-^{3}H, primitive erythropoiesis in early chick embryogenesis, cell cycle kinetics and control of cell division, biochemical and radioautographic study, 652
— label, methyl methionine-^{3}H, uridine-^{3}H, and phosphoric acid-^{32}P, turnover of HeLa ribosomal RNA, characterization of RNA in cytoplasm derived from 28S RNA, biochemical study, 787
— label, methyl methionine-^{3}H, uridine-^{14}C, uridine-^{3}H, serine-^{14}C, and phosphoric acid-^{32}P, RNA metabolism in HeLa cells at reduced temperature, modified processing of 45S RNA, biochemical study, 818
— label, ovalbumin-^{14}C, interaction of estrogen and progesterone in chick oviduct development, tubular gland cell cytodifferentiation, biochemical and light and EM study, 598
Radioactive label, proline-^{3}H, in vivo synthesis of connective tissue proteins in smooth muscle cell, radioautographic light and EM study, 159
— label, proline-^{3}H, morphogenesis of collagenous stroma in chick cornea, radioautographic light and EM study, 840
— label, sodium chromate-^{51}Cr, structural alterations in surface membrane during cell cycle of P815Y cells, biochemical and immunological study, 562
— label, styrene-^{14}C, resolution in electron microscope radioautography using carbon^{14}, EM study, 324
— label, sucrose-^{3}H, endocytosis in Change liver cells, quantitation by sucrose-^{3}H uptake and inhibition by Cytochalasin B, biochemical and radioautographic and cinematographic and EM study, 804
— label, sulfate-^{35}S, sulfate metabolism in mouse pancreatic acinar cells, radioautographic EM study, 469
— label, thymidine-^{3}H, cell population changes in intestinal mucosa of protein-depleted or starved rats, changes in mitotic cycle time, radioautographic study, 887
— label, thymidine-^{3}H, DNA synthesis and proliferation by villous epithelial cells in fetal rats, radioautographic light and EM study, 255
— label, thymidine-^{3}H, primitive erythropoiesis in early chick embryogenesis, correlation between hemoglobin synthesis and mitotic history, cytophotometric and radioautographic study, 669
— label, thymidine-^{3}H and uridine-^{3}H, glucocorticosteroid-induced pyknosis in thymus and lymph node of adrenalectomized rat, radioautographic and light and EM study, 583
— label, uridine-^{14}C, actinomycin D-^{14}C, and thymidine-^{3}H differential cytotoxicity of actinomycin D, biochemical and cytological study, 746
— label, uridine-^{14}C and uridine-^{3}H, hybridization properties of DNA sequences directing synthesis of messenger RNA and heterogeneous nuclear RNA, biochemical study, 774
— label, valine-^{14}C, effect of pancreozymin on rat pancreatic enzyme biosynthesis, biochemical and EM study, 333
Radioautography, electron microscope, resolution using carbon^{14}, EM study, 324
Rat, adrenalectomized, glucocorticosteroid-induced pyknosis in thymus and lymph node of, ratioautographic and light and EM study, 583
—, dorsal root ganglia, Golgi apparatus, GERL, and lysosomes, in neurons of, cytochemical EM study, 859
—, embryo, B cells of endocrine pancreas in organ culture, evidence for (pro)insulin biosynthesis, biochemical and radioautographic EM study, 565
—, fetal, DNA synthesis and proliferation by villous epithelial cells in, radioautographic light and EM study, 255
—, heart, transverse tubular system in ventricular myocardium of, morphometric study, 233
—, intestine, fine structural localization of acyltransferases, monoglyceride and α-glycerophos-

phate pathways in absorptive cells of, biochemical and cytochemical EM study, 102
Rat, kidney, inorganic cations in, localization with potassium pyroantimonate-perfusion fixation, EM study, 830
—, liver, site of synthesis of several soluble enzymes of cell nucleus of, biochemical study, 1
—, liver, spleen and pancreas, colchicine binding in, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544
—, pancreas, effect of pancreozymin on enzyme biosynthesis by, biochemical and EM study, 333
—, parotid gland, concomitant synthesis of membrane protein and exportable protein of secretory granule in, biochemical and EM study, 187
—, protein-depleted or starved, cell population changes in intestinal mucosa of, changes in mitotic cycle time, radioautographic study, 887
—, uterus and aorta, in vivo synthesis of connective tissue proteins in smooth muscle cell of, radioautographic light and EM study, 159
— and mouse, blood capillaries, dextrans and glycogens as particulate tracers for studying permeability of, EM study. 616
Red blood cell, of mouse, two-dimensional topographic distribution of H-2 histocompatibility alloantigens on membranes of, immunological and EM study, 905
Ribosomes of chloroplast in *ac-20 Chlamydomonas reinhardi*, effects of inhibitors of RNA and protein synthesis on recovery of, membrane organization, and photosynthetic electron transport, biochemical and EM study, 50
—, of HeLa cells, turnover of RNA in, characterization of RNA in cytoplasm derived from 28S RNA, biochemical study, 787
RNA, messenger and heterogeneous nuclear, hybridization properties of DNA sequences directing synthesis of, in mouse L-cells, biochemical study, 774
— metabolism in HeLa cells at reduced temperature, modified processing of 45S RNA, biochemical study, 818
— and protein synthesis, effects of inhibitors of on chloroplast structure and function in wild-type *Chlamydomonas reinhardi*, biochemical and EM study, 35
— and protein synthesis, effects of inhibitors of on recovery of chloroplast ribosomes, membrane organization and photosynthetic electron transport in *ac-20 Chlamydomonas reinhardi*, biochemical and EM study, 50
—, ribosomal, derived from 28S RNA, characterization of in HeLa cytoplasm, biochemical study, 787
— synthesis in HeLa, L, WI38, and Vero cells, cytotoxic effect of actinomycin D on, biochemical and cytological study, 746

S

Salivary gland, of *Drosophila hydei*, induced accumulation of nonhistone proteins in polytene nuclei of, biochemical study, 893
Sea urchin *Arbacia punctulata* and *Lytechinus pictus*, embryo, synthesis and storage of microtubule proteins by, biochemical study, 516
Serotonin-synthesizing cells in mouse gastric mucosa, identification of, radioautographic light and EM study, 399
Skin, of frog, localization of permeability barriers in epithelium of, physiological and light and EM study, 277
Spindle elongation in mitosis of mammalian cells in vitro, direct microtubule counts, light and EM study, 416
Spindles, spindle plaques, and meiosis in yeast *Saccharomyces cerevisiae* (Hansen), EM study, 344
Spleen, liver and pancreas, of rat, colchicine binding in, decrease by calcium and biphasic effect of adenosine-3′,5′-monophosphate, biochemical study, 544
Staining of insect tissue sections, routine method for obtaining high contrast in absence of, EM study, 540
— of insect tissue thick and thin sections with hot alcoholic phosphotungstic acid and uranyl acetate, EM study, 550
Stomach, of lobster, Z and T tubules in pyloric muscles of, EM study, 264
—, of mouse, identification of serotonin-synthesizing cells in gastric mucosa of, radioautographic light and EM study, 399
Stroma, collagenous, morphogenesis of in chick embryo cornea, radioautographic light and EM study, 840
Styrene, resolution in electron microscope radioautography using carbon^{14}, EM study, 324
Sucrose uptake and inhibition by Cytochalasin B, quantitation of endocytosis in Chang liver cells, biochemical and radioautographic and cinematographic and EM study, 804
Sulfate metabolism, in acinar cells of mouse pancreas, radioautographic EM study, 469
Surface membrane, of P815Y cells, structural alterations in during cell cycle, biochemical and immunological study, 562
Synaptic endings, in medial nucleus of trapezoid body of bat brain, light and EM study, 121

T

Temperature, reduced, RNA metabolism in HeLa cells at, modified processing of 45S RNA, biochemical study, 818
Thymus and lymph node, of adrenalectomized rat, glucocorticosteroid-induced pyknosis in, radioautographic and light and EM study, 583
Thyroid, of pig, ultrastructural localization of calcitonin in parafollicular cells of, with cytochrome *c*-labeled antibody fragments, immunochemical and light and EM study, 446
Tissue culture, monolayer, morphology and function of cells of human embryonic liver, biochemical and light microscope study, 222
— fractionation, liver, past and present, historical perspective of, essay tribute to Albert Claude's contribution to modern biology, 20 D
— sections of insect fat body, nerve and connective,

thick and thin, hot alcoholic phosphotungstic acid and uranyl acetate as routine stains for, EM study, 550
Tissue culture, sections of insect fat body and nerve, routine method for obtaining high contrast without staining, EM study, 540
Transport, intracellular, synthesis, and discharge of secretory proteins in stimulated pancreatic exocrine cells, of guinea pig, biochemical and radioautographic light and EM study, 135
Transverse tubular system, in rat ventricular myocardium, morphometric study, 233
Trapezoid body, of bat brain, fine structure of medial nucleus of, synaptic endings in, light and EM study, 121
Tubules, Z and T, in stomach muscles of spiny lobster, EM study, 264

U

Uranyl acetate, and hot alcoholic phosphotungstic acid, routine stains for thick and thin sections, EM study, 550
Uterus and aorta, of rat, in vivo synthesis of connective tissue proteins in smooth muscle cell of, radioautographic light and EM study, 159

W

Wall, external surface, of cultured plant cells, lignofibrils on, biochemical and cytochemical EM study, 63

Y

Yeast *Saccharomyces cerevisiae* (Hansen), spindles, spindle plaques, and meiosis in, EM study, 344